



Department of Foreign Trade Notification  
On an Initiation of Anti- Dumping Investigation of  
Cold Reduced Carbon Steel in Coils and not in Coils Originating in  
the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei  
B.E. 2555 (2012)

---

Whereas the Committee on Dumping and Subsidies under the Anti-Dumping and Countervailing Act, B.E. 2542 (1999) determined on 7 August B.E. 2555 (2012) that the petition as lodged under Section 33 of the Anti-Dumping and Countervailing Act, B.E. 2542 (1999) by Thai Cold Rolled Steel Sheet Public Company Limited requesting for the initiation of an anti-dumping investigation of Cold Reduced Carbon Steel in Coils and not in Coils originating in the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei demonstrates sufficient *prima facie* evidence regarding dumping and injury to justify the initiation of an investigation.

As statutorily provided in Section 37 and Section 39 of the Anti-Dumping and Countervailing Act, B.E. 2542 (1999), the Department of Foreign Trade herein initiates an anti-dumping investigation as follows:

1. The subject merchandise under consideration covers Cold Reduced Carbon Steel in Coils and not in Coils originating in the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei classified under the Thai Customs Tariff Code attached herewith.

2. Dumping and Injury determination: The Committee on Dumping and Subsidies has examined and determined that the petition submitted by Thai Cold Rolled Steel Sheet Public Company Limited contains sufficient *prima facie* evidence to demonstrate that there has been dumping of the subject merchandise originating the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei and that such dumping has caused injury to the domestic industry as follows:

2.1 Dumping Margin

2.1.1 The subject merchandise originating in the People's Republic of China is *prima facie* dumped at a margin of 11.76 % of the C.I.F. price.

2.1.2 The subject merchandise originating in the Socialist Republic of Vietnam is *prima facie* dumped at a margin of 11.86 % of the C.I.F. price.

2.1.3 The subject merchandise originating in Chinese Taipei is *prima facie* dumped at a margin of 8.76 % of the C.I.F. price.

2.2 Injury

The domestic industry has materially been injured by the imports of the subject merchandise as evidenced by:

2.2.1 Increasing imports of the subject merchandise from the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei;

2.2.2 Effect of such imports on prices and on the overall performance of the petitioner.

3. The investigating procedures: The Department of Foreign Trade shall send questionnaires to the interested parties known to exist for a purpose of gathering information for the investigation. Interested parties who do not receive questionnaires but wish to cooperate in this investigation should send a written request for questionnaires from the Department of Foreign Trade within **fifteen days** from the date of publication of this notification in the Royal Gazette.

4. Presentation of facts and opinions: Interested parties may, in writing, present facts and opinions or notify the Department of Foreign Trade of their intentions to give an oral presentation of facts and options within **thirty days** from the date of publication of this notification in the Royal Gazette.

5. Request for information: Those who wish to receive information relating to this investigation may make a request to the Bureau of Trade Interests and Remedies, the Department of Foreign Trade at 44/100 Nonthaburi 1 Road, Amphur Muang, Nonthaburi 11000. Tel : +662 547 4738 Fax : +662 547 4741. All fees required are specified in the Ministry of Commerce Notification on Anti-Dumping and Countervailing (No.6) B.E. 2544 (2001).

This notification is made on 10 August, B.E. 2555 (2012).

(SIGNED) Manat Soiploy  
(Mr.Manat Soiploy)  
Director-General

The Attachment to the Department of Foreign Trade Notification  
 On an Initiation of Anti- Dumping Investigation of Cold Reduced Carbon Steel in Coils and not in Coils  
 Originating in the People's Republic of China, the Socialist Republic of Vietnam and Chinese Taipei  
 B.E. 2555 (2012)

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.15.00 Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of 3 mm or more	011	Unanneal of a width exceeding 1550 mm	7209.15.00	011	Unanneal of a width exceeding 1550 mm
	013	Unanneal of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of 3 mm or more	013	Unanneal of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa (N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa (N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
		023		Anneal, tensile strength less than 340 Mpa (N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm	

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.15.00			7209.15.00	024	Anneal, tensile strength less than 340 Mpa (N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm		031	Anneal, high tensile of tensile strength 340 Mpa (N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.15.00			7209.15.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.15.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.15.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm		043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.15.00			7209.15.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.16.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness exceeding 1 mm but less than 3 mm	011	Unanneal of a width exceeding 1550 mm	7209.16.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness exceeding 1 mm but less than 3 mm	011	Unanneal of a width exceeding 1550 mm
	012	Unanneal of a width not exceeding 1550 mm		012	Unanneal of a width not exceeding 1550 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				023	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
			024	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm	



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.16.00	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.16.00	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.16.00			7209.16.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.16.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.16.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.16.00			7209.16.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of 0.5 mm or more but not exceeding 1 mm	011	Unanneal of a width exceeding 1550 mm	7209.17.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of 0.5 mm or more but not exceeding 1 mm	011	Unanneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	012	Unanneal of a width not exceeding 1550 mm		012	Unanneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550mm
				013	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				014	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				015	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width exceeding 1550 mm
				016	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width not exceeding 1550 mm
				017	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm2) or more and of a width exceeding 1550 mm	7209.17.00	021	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm2) or more but less than 590 Mpa (N/mm2) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				023	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				024	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.17.00	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00			7209.17.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.17.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.17.00			7209.17.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.20  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of less than 0.5 mm: --- Other ---- Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	011	Unanneal of a width exceeding 1550 mm	7209.18.91  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of less than 0.5 mm: --- Other ---- Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	011	Unanneal of a width exceeding 1550 mm
	012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.14 mm or more		012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.14 mm or more
	013	Unanneal of a width of less than 800 mm and of a thickness of 0.14 mm or more		013	Unanneal of a width of less than 800 mm and of a thickness of 0.14 mm or more
	014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of less than 0.14 mm		014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of less than 0.14 mm
	015	Unanneal of a width of less than 800 mm and of a thickness of less than 0.14 mm		015	Unanneal of a width of less than 800 mm and of a thickness of less than 0.14 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.20	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.18.91	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.20	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.18.91	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm			

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.20	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of less than 0.5 mm: --- Other ---- Other	011	Unanneal of a width exceeding 1550 mm	7209.18.99  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of less than 0.5 mm: --- Other ---- Other	011	Unanneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm. or more
	012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.2 mm or more		012	Unanneal, containing by weight less than 0.01% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
	013	Unanneal of a width of less than 800 mm and of a thickness of 0.2 mm or more		013	Unanneal, containing by weight less than 0.01% of carbon and of a width less than 800 mm and of a thickness 0.2 mm. or more
	014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness more than 0.17 mm but less than 0.2 mm		014	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm or more
	015	Unanneal of a width of less than 800 mm and of a thickness more than 0.17 mm but less than 0.2 mm		015	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90			7209.18.99	016	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width less than 800 mm and of a thickness 0.2 mm. or more
				017	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm or more
				018	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
				019	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width less than 800 mm and of a thickness 0.2 mm or more
				020	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm and of a thickness 0.2 mm or more



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm	7209.18.99	021	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width less than 800 mm and of a thickness 0.2 mm or more
				026	Unanneal of a width 800 mm or more but not exceeding 1550 mm and of a thickness more than 0.17 mm but less than 0.2 mm
				027	Unanneal of a width of less than 800 mm and of a thickness more than 0.17 mm but less than 0.2 mm
	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm		031	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm	7209.18.99	032	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				034	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm		041	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness of 0.2 mm or more	7209.18.99	042	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness of more than 0.17 mm but less than 0.2 mm.		043	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				044	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90			7209.18.99	045	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.18.90			7209.18.99	053	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm		061	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
				071	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm
				072	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.25.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of 3 mm or more	011	Unanneal of a width exceeding 1550 mm	7209.25.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) -- Of a thickness of 3 mm or more	011	Unanneal of a width exceeding 1550 mm
	013	Unanneal of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm		013	Unanneal of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				023	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
			024	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm	

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.25.00	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.25.00	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.25.00			7209.25.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.25.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.25.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness not exceeding 3.2 mm		043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.25.00			7209.25.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.26.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness exceeding 1 mm but less than 3 mm	011	Unanneal of a width exceeding 1550 mm	7209.26.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness exceeding 1 mm but less than 3 mm	011	Unanneal of a width exceeding 1550 mm
	012	Unanneal of a width not exceeding 1550 mm		012	Unanneal of a width not exceeding 1550 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				023	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
			024	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm	

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.26.00	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.26.00	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.26.00			7209.26.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.26.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.26.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.26.00			7209.26.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of 0.5 mm or more but not exceeding 1 mm	011	Unanneal of a width exceeding 1550 mm	7209.27.00  Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of 0.5 mm or more but not exceeding 1 mm	011	Unanneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	012	Unanneal of a width not exceeding 1550 mm		012	Unanneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				013	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				014	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				015	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width exceeding 1550 mm
				016	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width not exceeding 1550 mm
				017	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm2) or more and of a width exceeding 1550 mm	7209.27.00	021	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm2) or more but less than 590 Mpa (N/mm2) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				023	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				024	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.27.00	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00			7209.27.00	034	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				035	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm
				036	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.27.00	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				043	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.27.00			7209.27.00	044	Anneal, high tensile of tensile strength 440 Mpa(N/mm2) or more but less than 590 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.10 Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of less than 0.5 mm - - - Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	011	Unanneal of a width exceeding 1550 mm	7209.28.10 Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of less than 0.5 mm - - - Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	011	Unanneal of a width exceeding 1550 mm
	012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.14 mm or more		012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.14 mm or more
	013	Unanneal of a width of less than 800 mm and of a thickness of 0.14 mm or more		013	Unanneal of a width of less than 800 mm and of a thickness of 0.14 mm or more
	014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of less than 0.14 mm		014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of less than 0.14 mm
	015	Unanneal of a width of less than 800 mm and of a thickness of less than 0.14 mm		015	Unanneal of a width of less than 800 mm and of a thickness of less than 0.14 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm		022	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.10	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm	7209.28.10	031	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
				033	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.10	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm	7209.28.10	041	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm		042	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm			
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
<b>7209.28.90</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of less than 0.5 mm - - - Other	011	Unanneal of a width exceeding 1550 mm	<b>7209.28.90</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Not in coils, not further worked than cold-rolled (cold-reduced) - - Of a thickness of less than 0.5 mm - - - Other	011	Unanneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm. or more
	012	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.2 mm or more		012	Unanneal, containing by weight less than 0.01% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
	013	Unanneal of a width of less than 800 mm and of a thickness of 0.2 mm or more		013	Unanneal, containing by weight less than 0.01% of carbon and of a width less than 800 mm and of a thickness 0.2 mm. or more
	014	Unanneal of a width of 800 mm or more but not exceeding 1550 mm and of a thickness of 0.17 mm or more but less than 0.2 mm		014	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm or more
	015	Unanneal of a width of less than 800 mm and of a thickness of 0.17 mm or more but less than 0.2 mm		015	Unanneal, containing by weight 0.01% or more but not more than 0.10% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
					016

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.90			7209.28.90	017	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width exceeding 1550 mm and of a thickness 0.2 mm or more
				018	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more
				019	Unanneal, containing by weight more than 0.10% but not exceeding 0.18% of carbon and of a width less than 800 mm and of a thickness 0.2 mm or more
				020	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm and of a thickness 0.2 mm or more
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more and of a width exceeding 1550 mm		021	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width 800 mm or more but not exceeding 1550 mm and of a thickness 0.2 mm or more

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.90	022	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> ) and of a width not exceeding 1550 mm	7209.28.90	022	Unanneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width less than 800 mm and of a thickness 0.2 mm or more
				026	Unanneal of a width 800 mm or more but not exceeding 1550 mm and of a thickness more than 0.17 mm but less than 0.2 mm
				027	Unanneal of a width of less than 800 mm and of a thickness more than 0.17 mm but less than 0.2 mm
	031	Anneal, containing by weight less than 0.01% of carbon and of a width exceeding 1550 mm		031	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm
	032	Anneal, containing by weight less than 0.01% of carbon and of a width not exceeding 1550 mm		032	Anneal, tensile strength less than 340 Mpa(N/mm <sup>2</sup> ), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.90			7209.28.90	033	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
				034	Anneal, tensile strength less than 340 Mpa(N/mm2), containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm
	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a width exceeding 1550 mm		041	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness of 0.2 mm or more		042	Anneal, high tensile of tensile strength 340 Mpa(N/mm2) or more but less than 440 Mpa(N/mm2) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.90	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon, of a width not exceeding 1550 mm and of a thickness more than 0.17 mm but less than 0.2 mm	7209.28.90	043	Anneal, high tensile of tensile strength 340 Mpa(N/mm <sup>2</sup> ) or more but less than 440 Mpa(N/mm <sup>2</sup> ) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	051	Anneal, containing by weight more than 0.15% of carbon and of a width exceeding 1550 mm		051	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width exceeding 1550 mm
	052	Anneal, containing by weight more than 0.15% but less than 0.25% of carbon and of a width not exceeding 1550 mm		052	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight 0.01% or more but not more than 0.10% of carbon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7209.28.90			7209.28.90	053	Anneal, high tensile of tensile strength 440 Mpa(N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> ) , containing by weight more than 0.10% or more but not more than 0.18% of carbon and of a width not exceeding 1550 mm
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm		061	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width exceeding 1550 mm
	062	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm		062	Anneal, containing by weight more than 0.18% but less than 0.25% of carbon and of a width not exceeding 1550 mm
				071	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width exceeding 1550 mm
				072	Non oriented electrical steel, containing by weight less than 0.6% of silicon and of a width not exceeding 1550 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
<b>7209.90.10</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Other -- Corrugated	000	-	<b>7209.90.10</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Other -- Corrugated	000	-
<b>7209.90.90</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Other -- Other	000	-	<b>7209.90.90</b> Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced), not clad, plated or coated. - Other -- Other	000	-

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.10	011	Unanneal	7211.23.10	011	Unanneal
Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Containing by weight less than 0.25% of carbon --- Corrugated	031	Anneal, containing by weight less than 0.01% of carbon	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Containing by weight less than 0.25% of carbon --- Corrugated	031	Anneal, containing by weight less than 0.01% of carbon
	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon		041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon
	051	Anneal, containing by weight more than 0.15% of carbon		051	Anneal, containing by weight more than 0.15% of carbon
	090	Other		090	Other



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.20  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) - - Containing by weight less than 0.25% of carbon - - - Hoop and strip, of a width not exceeding 400 mm	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm	7211.23.20  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) - - Containing by weight less than 0.25% of carbon - - - Hoop and strip, of a width not exceeding 400 mm	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	013	Unanneal of a thickness exceeding 1 mm but less than 3 mm		013	Unanneal of a thickness exceeding 1 mm but less than 3 mm
	014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm		014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm
	015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm		015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa(N/mm <sup>2</sup> )
	031	Anneal, containing by weight less than 0.01% of carbon		031	Anneal, containing by weight less than 0.01% of carbon
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness of 3 mm or more but not exceeding 3.2 mm		042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness of 3 mm or more but not exceeding 3.2 mm
043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness exceeding 1 mm but less than 3 mm	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness exceeding 1 mm but less than 3 mm		

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.20	044	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness 0.5 mm or more but not exceeding 1 mm	7211.23.20	044	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness 0.5 mm or more but not exceeding 1 mm
	045	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness more than 0.17 mm but less than 0.5 mm		045	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness more than 0.17 mm but less than 0.5 mm
	051	Anneal, containing by weight more than 0.15% of carbon		051	Anneal, containing by weight more than 0.15% of carbon
	090	Other		090	Other

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.30  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) - - Containing by weight less than 0.25% of carbon - - - Other, of a thickness of 0.17 mm or less	011	Unanneal of a thickness of 0.14 mm or more	7211.23.30  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) - - Containing by weight less than 0.25% of carbon - - - Other, of a thickness of 0.17 mm or less	011	Unanneal of a thickness of 0.14 mm or more
	012	Unanneal of a thickness of less than 0.14 mm		012	Unanneal of a thickness of less than 0.14 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )
	031	Anneal, containing by weight less than 0.01% of carbon		031	Anneal, containing by weight less than 0.01% of carbon
	041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon		041	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon
	051	Anneal, containing by weight more than 0.15% of carbon		051	Anneal, containing by weight more than 0.15% of carbon
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon
	090	Other		090	Other

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.90  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Containing by weight less than 0.25% of carbon --- Other	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm	7211.23.90  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Containing by weight less than 0.25% of carbon --- Other	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	013	Unanneal of a thickness exceeding 1 mm but less than 3 mm		013	Unanneal of a thickness exceeding 1 mm but less than 3 mm
	014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm		014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm
	015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm		015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )
	031	Anneal, containing by weight less than 0.01% of carbon		031	Anneal, containing by weight less than 0.01% of carbon
	042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness of 3 mm or more but not exceeding 3.2 mm		042	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness of 3 mm or more but not exceeding 3.2 mm
	043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness exceeding 1 mm but less than 3 mm		043	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness exceeding 1 mm but less than 3 mm

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.23.90	044	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness 0.5 mm or more but not exceeding 1 mm	7211.23.90	044	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness 0.5 mm or more but not exceeding 1 mm
	045	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness more than 0.17 mm but less than 0.5 mm		045	Anneal, containing by weight 0.01% or more but not more than 0.15% of carbon and of a thickness more than 0.17 mm but less than 0.5 mm
	051	Anneal, containing by weight more than 0.15% of carbon		051	Anneal, containing by weight more than 0.15% of carbon
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon
	090	Other		090	Other

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.29.10	011	Unanneal	7211.29.10	011	Unanneal
Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Corrugated	090	Other	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Corrugated	090	Other

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.29.20  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Hoop and strip, of a width not exceeding 400 mm	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm	7211.29.20  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Hoop and strip, of a width not exceeding 400 mm	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	013	Unanneal of a thickness exceeding 1 mm but less than 3 mm		013	Unanneal of a thickness exceeding 1 mm but less than 3 mm
	014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm		014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm
	015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm		015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )
	042	Anneal of a thickness of 3 mm or more but not exceeding 3.2 mm		042	Anneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	043	Anneal of a thickness exceeding 1 mm but less than 3 mm		043	Anneal of a thickness exceeding 1 mm but less than 3 mm
	044	Anneal of a thickness 0.5 mm or more but not exceeding 1 mm		044	Anneal of a thickness 0.5 mm or more but not exceeding 1 mm
	045	Anneal of a thickness more than 0.17mm but less than 0.5 mm		045	Anneal of a thickness more than 0.17mm but less than 0.5 mm
061	Non oriented electrical steel, containing by weight less than 0.6% of silicon	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon		
090	Other	090	Other		

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.29.30  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Other, of a thickness of 0.17 mm or less	011	Unanneal of a thickness of 0.14 mm or more	7211.29.30  Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Other, of a thickness of 0.17 mm or less	011	Unanneal of a thickness of 0.14 mm or more
	012	Unanneal of a thickness of less than 0.14 mm		012	Unanneal of a thickness of less than 0.14 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon
	090	Other		090	Other



Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7211.29.90 Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Other	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm	7211.29.90 Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated. - Not further worked than cold-rolled (cold-reduced) -- Other --- Other	012	Unanneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	013	Unanneal of a thickness exceeding 1 mm but less than 3 mm		013	Unanneal of a thickness exceeding 1 mm but less than 3 mm
	014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm		014	Unanneal of a thickness of 0.5 mm or more but not exceeding 1 mm
	015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm		015	Unanneal of a thickness more than 0.17 mm but less than 0.5 mm
	021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )		021	Anneal, high tensile of tensile strength 390 Mpa (N/mm <sup>2</sup> ) or more but less than 590 Mpa (N/mm <sup>2</sup> )
	042	Anneal of a thickness of 3 mm or more but not exceeding 3.2 mm		042	Anneal of a thickness of 3 mm or more but not exceeding 3.2 mm
	043	Anneal of a thickness exceeding 1 mm but less than 3 mm		043	Anneal of a thickness exceeding 1 mm but less than 3 mm
	044	Anneal of a thickness of 0.5 mm or more but not exceeding 1 mm		044	Anneal of a thickness of 0.5 mm or more but not exceeding 1 mm
	045	Anneal of a thickness more than 0.17 mm but less than 0.5 mm		045	Anneal of a thickness more than 0.17 mm but less than 0.5 mm
	061	Non oriented electrical steel, containing by weight less than 0.6% of silicon		061	Non oriented electrical steel, containing by weight less than 0.6% of silicon
090	Other	090	Other		

Before 1 January 2012			Since 1 January 2012		
HS Code	Statistic Code	Description	HS Code	Statistic Code	Description
7225.50.00	000	-	7225.50.90	011	Containing by weight 0.0008% or more of boron without other alloyed
Flat-rolled products of other alloy steel, of a width of 600 mm or more			Flat-rolled products of other alloy steel, of a width of 600 mm or more		
- Other, not further worked than cold-rolled (cold-reduced)			- Other, not further worked than cold-rolled (cold-reduced)	012	Containing by weight 0.3% or more of chromium without other alloyed
-- Other			-- Other		

Note: Except for the products imported into the Kingdom for producing Electro Galvanized (EG), Galvanneal (GA) and Galvanized Iron (GI) for Automobile